



List Current Medication you are taking now:

.....

.....

.....

Medication History: Use your best guess if not sure of the dates or dosage. Circle side-effects

|                               |               |                                    |  |
|-------------------------------|---------------|------------------------------------|--|
| <b>Prozac/Fluoxetine</b>      | 20 - 80 mg    | <b>Started:</b><br><b>Stopped:</b> | Anxiety, fatigue, tremor, diarrhea, dyspepsia, nausea, insomnia, headache, dry mouth, decreased libido, anorexia, decreased appetite. bulimia nervosa, dizziness, skin rash, diaphoresis. itching, rash , restlessness, chills, fevers, joint or muscle pain, ineffective. |
| <b>Zoloft/Sertraline</b>      | 25 - 200 mg   | <b>Started:</b><br><b>Stopped:</b> | Fatigue, tired feeling, anxiety, insomnia, dizziness, nausea, skin rash, headache, abnormal digestion, stomach pain, dry mouth, changes in appetite, impotence, decreased libido, weight loss, ineffective.  |
| <b>Paxil/Paroxetine</b>       | 10 - 60 mg    | <b>Started:</b><br><b>Stopped:</b> | Abnormal vision, constipation, decreased libido, diarrhea, dizziness, female genital disorders, nausea, sweating, trauma, tremor, and fatigue.   |
| <b>Celexa/Citalopram</b>      | 20 - 40 mg    | <b>Started:</b><br><b>Stopped:</b> | Fatigue, insomnia, nausea, diarrhea, dry mouth, stuffy nose, sneezing, sore throat, cough, increased sweating or urination, weight changes, decreased libido, impotence, ineffective.  |
| <b>Lexapro/Escitalopram</b>   | 10 - 20 mg    | <b>Started:</b><br><b>Stopped:</b> | Fatigue, dizziness, insomnia, nausea, gas, heartburn, constipation, weight changes, dry mouth, yawning, tinnitus, decreased libido, impotence, ineffective.  |
| <b>Luvox/Fluvoxamine</b>      | 50 - 300 mg   | <b>Started:</b><br><b>Stopped:</b> | Nausea, diarrhea, gas, loss of appetite, increased sweating, mild skin rash, dizziness, fatigue, weakness, anxiety, insomnia, dry mouth, sore throat, heavy menstrual periods, muscle pain, decreased libido, ineffective.   |
| <b>Cymbalta /Duloxetine</b>   | 20 - 120 mg   | <b>Started:</b><br><b>Stopped:</b> | Nausea, dry mouth, abnormal digestion, fatigue, insomnia, loss of appetite, dizziness, anxiety, nausea, ineffective.   |
| <b>Effexor/Venlafaxine</b>    | 37.5 - 225 mg | <b>Started:</b><br><b>Stopped:</b> | Dizziness, nausea, constipation, headaches, anxiety, insomnia, strange dreams, fatigue, increased sweating, blurred vision, dry mouth, changes in appetite or weight, decreased libido, impotence, ineffective.  |
| <b>Pristiq/Desvenlafaxine</b> | 50 - 100 mg   | <b>Started:</b><br><b>Stopped:</b> | Increased sweating, dizziness, fatigue, insomnia, constipation, loss of appetite, tightness in your jaw, nausea, decreased libido, impotence, ineffective.   |



|                               |              |                                    |  |
|-------------------------------|--------------|------------------------------------|--|
| <b>Wellbutrin /Bupropion</b>  | 100 – 450 mg | <b>Started:</b><br><b>Stopped:</b> | Agitation, dry mouth, insomnia, headache, nausea, constipation, stomach pain, dizziness, tinnitus, vision problems, decreased libido, sore throat, muscle pain, itching, skin rash, increased sweating, increased urination, tremor, ineffective.                                      |
| <b>Remeron/Mirtazapine</b>    | 15 – 45 mg   | <b>Started:</b><br><b>Stopped:</b> | Dizziness, fatigue, lightheadedness, increased appetite, weight gain, dry mouth, constipation, ineffective.  |
| <b>Oleptro /Trazodone</b>     | 50 – 400 mg  | <b>Started:</b><br><b>Stopped:</b> | Blurred or other changes in vision, lack of coordination, lightheadedness, fainting, tinnitus skin rash, itching, bladder pain, ineffective.   |
| <b>Desyrel/Trazadone</b>      | 50 – 400 mg  | <b>Started:</b><br><b>Stopped:</b> | Blurred vision, confusion, dizziness, faintness, lightheadedness, sweating, fatigue, weakness, burning, itching, numbness, confusion, decreased concentration, headache, lack of coordination, muscle tremors, swelling, anxiety, tinnitus, shortness of breath.                       |
| <b>Viibryd/Vilazodone</b>     | 10 – 40 mg   | <b>Started:</b><br><b>Stopped:</b> | Diarrhea, dizziness, dry mouth, insomnia, stomach pain, discomfort in legs, bloated, blurred vision, change in taste, decreased libido, indigestion, loss of appetite, muscle pain, stiffness, night sweats, flatulence, restlessness, fatigue, weakness, ineffective.                 |
| <b>Trintellix</b>             | 5 – 20 mg    | <b>Started:</b><br><b>Stopped:</b> | Dry mouth, bloated, flatulence, itching skin, unusual dreams, agitation, blood in the stool or urine, confusion, convulsions, decreased urine, diarrhea, dizziness, irregular heartbeat, fever, headache, unusual bruising, ineffective.   |
| <b>Latuda/Lurasidone</b>      | 20 – 160 mg  | <b>Started:</b><br><b>Stopped:</b> | Fatigue, dizziness, nausea, diarrhea, stomach pain, no appetite, shaking, muscle stiffness, weight gain, flat expression, restlessness, agitation, blurred vision, breast swelling or discharge, amenorrhea, decreased libido, ineffective.  |
| <b>Elavil/Amitriptyline</b>   | 10 – 300 mg  | <b>Started:</b><br><b>Stopped:</b> | Fatigue, dizziness, dry mouth, blurred vision, constipation, weight gain, trouble urinating. Ineffective.  |
| <b>Tofranil/Imipramine</b>    | 25 – 300 mg  | <b>Started:</b><br><b>Stopped:</b> | Dry mouth, blurred vision, headache, fatigue, dizziness, constipation, nausea, vomiting, loss of appetite, diarrhea, stomach cramps, weight gain.  |
| <b>Pamelor/Nortriptyline</b>  | 25 – 150 mg  | <b>Started:</b><br><b>Stopped:</b> | Rapid heart rate, blurred vision, urinary retention, dry mouth, constipation, weight gain or loss, dizziness (orthostatic hypotension), tingly feeling, weakness, lack of coordination, unpleasant taste, nausea, tinnitus, breast swelling, decreased libido, impotence, ineffective. |
| <b>Norpramin/Desipramine</b>  | 25 - 300 mg  | <b>Started:</b><br><b>Stopped:</b> | Headache, nausea, vomiting, dizziness, fatigue, anxiety, insomnia, blurred vision, tinnitus, increased appetite, weight gain, constipation, diarrhea, dry mouth, weakness, lack of coordination, decreased libido, impotence, ineffective.   |
| <b>Vivactil/Protriptyline</b> | 5 - 60 mg    | <b>Started:</b><br><b>Stopped:</b> | Dry mouth, constipation, and blurred vision, ineffective.  |



|                                 |               |                                    |  |
|---------------------------------|---------------|------------------------------------|--|
| <b>Nardil /Phenelzine</b>       | 15 - 90 mg    | <b>Started:</b><br><b>Stopped:</b> | Headache, rapid heart rate, stiffness in your neck, nausea, vomiting, cold sweat, sweating, vision problems, sensitivity to light, chest pain, fast or slow heart rate, swelling, weight gain.   |
| <b>Parnate/Tranlycypromine</b>  | 30 - 60 mg    | <b>Started:</b><br><b>Stopped:</b> | Headaches, vision problems, sensitivity to light, restlessness, weakness, fatigue, nausea, diarrhea, constipation, loss of appetite, stomach pain, chills, numbness or tingly feeling, dry mouth, decreased urination, insomnia, blurred vision, tinnitus, ineffective.  |
| <b>Emsam patches/Selegiline</b> | 6 - 12 mg     | <b>Started:</b><br><b>Stopped:</b> | Dizziness, fatigue, redness, irritation, or itching, weakness, insomnia, constipation, diarrhea, upset stomach, dry mouth, headache, muscle pain, bruising, itching or rash, cough, sore throat, sinus pain, or stuffy nose, ineffective.                                |
| <b>Abilify/Aripiprazole</b>     | 10 - 30 mg    | <b>Started:</b><br><b>Stopped:</b> | Dizziness, weakness, lightheadedness, nausea, vomiting, stomach upset, fatigue, excess saliva or drooling, trouble swallowing, blurred vision, headache, anxiety, weight gain, insomnia, constipation, ineffective.  |
| <b>Seroquel/Quetiapine</b>      | 25 - 800 mg   | <b>Started:</b><br><b>Stopped:</b> | Headache, agitation, dizziness, fatigue, weight gain, stomach pain, vomiting, constipation, dry mouth, sore throat, breast swelling or discharge, amenorrhea, ineffective.   |
| <b>Risperdal/Risperidone</b>    | 0.5 - 16 mg   | <b>Started:</b><br><b>Stopped:</b> | Involuntary motion of the head, neck, arms, body, or eyes, dizziness, fatigue, fever, weight gain, feeling hot or cold, headache, dry mouth, increased appetite, restlessness, anxiety, insomnia, nausea, ineffective.   |
| <b>Zyprexa /Olanzapine</b>      | 2.5 - 20 mg   | <b>Started:</b><br><b>Stopped:</b> | Akathisia (an inability to sit still), constipation, headache, dizziness, fatigue, restlessness, weight gain, increased appetite, memory problems, stomach pain, loss of bladder control, back pain, pain in your arms or legs, numbness or tingly feeling, ineffective. |
| <b>Geodon/Ziprasidone</b>       | 40 - 160 mg   | <b>Started:</b><br><b>Stopped:</b> | Fatigue, nausea, vomiting, loss of appetite, constipation, dizziness, restlessness, anxiety, headache, depression, abnormal muscle movements, such as tremor, shuffling, uncontrolled involuntary movements, muscle pain, ineffective.                                   |
| <b>Saphris/Asenapine</b>        | 5 - 20 mg     | <b>Started:</b><br><b>Stopped:</b> | Fatigue, dizziness, numbness or tingling of the mouth, restlessness, constipation, dry mouth, sleep problems , upset stomach, and weight gain, ineffective.  |
| <b>Invega/Paliperidone</b>      | 3 - 12 mg     | <b>Started:</b><br><b>Stopped:</b> | Breast swelling or discharge, changes in menstrual periods, mild dry mouth restlessness, drowsiness, or tremor, blurred vision, dizziness or headache, weight gain, nausea, decreased libido, impotence, ineffective.  |
| <b>Lithobid/Lithium</b>         | 300 - 1800 mg | <b>Started:</b><br><b>Stopped:</b> | Hand tremor, weakness, lack of coordination, dry mouth, altered taste perception, weight gain, increased thirst, nausea or vomiting, loss of appetite, stomach pain, impotence, decreased libido, diarrhea, thinning or drying of hair, ineffective.                     |



|  |               |                                    |   |
|--|---------------|------------------------------------|---|
| <b>Depakote/Divalproex Sodium</b>              | 500 - 1000 mg | <b>Started:</b><br><b>Stopped:</b> | Fatigue, weakness, nausea, vomiting, diarrhea, constipation, mood swings, changes in menstrual periods, enlarged breasts, weight changes, agitation, tremor, vision changes, unusual or unpleasant taste in your mouth, ineffective.  |
| <b>Tegretol/Carbamazepine</b>                  | 35 - 200 mg   | <b>Started:</b><br><b>Stopped:</b> | Nausea, vomiting, dizziness, fatigue, dry mouth, swollen tongue, loss of balance, or unsteadiness, ineffective.   |
| <b>Trileptal/Oxcarbazepine</b>                 | 600 - 2400 mg | <b>Started:</b><br><b>Stopped:</b> | Dizziness, fatigue, nausea, vomiting, upset stomach, diarrhea, headache, mental slowness, acne, skin rash, trouble concentrating, trouble sleeping, tremors, shaking, blurred or double vision, dry mouth, constipation, and problems with speech, balance, ineffective.    |
| <b>Lamictal/Lamotrigine</b>                    | 100 - 500 mg  | <b>Started:</b><br><b>Stopped:</b> | Blurred or double vision, constipation, decreased coordination, diarrhea, dizziness, fatigue, headache, nausea, painful menstrual periods, runny or stuffy nose, stomach upset or pain, insomnia, vomiting, weakness, and weight loss, ineffective.                         |
| <b>Synthroid/Levothyroxine</b>                 | 25 - 125 mg   | <b>Started:</b><br><b>Stopped:</b> | Fever, hot flashes, sensitivity to heat, sweating, headache, nervousness, irritability, nausea, sleep problems, changes in appetite and transient hair loss, ineffective.   |
| <b>Levoxyl/Levothyroxine</b>                   | 12.5 - 125 mg | <b>Started:</b><br><b>Stopped:</b> | Fever, hot flashes, sensitivity to heat, sweating, headache, nervousness, irritability, nausea, insomnia, changes in appetite or changes in weight, and transient hair loss, ineffective.   |
| <b>Cytomel/Liothyronine</b>                    | 25 - 100 mcg  | <b>Started:</b><br><b>Stopped:</b> | Manifestations of hyperthyroidism such as weight loss, increased appetite, diarrhea or increased bowel frequency, insomnia, nervousness, irritability, tremor, ineffective.   |
| <b>Armour thyroid/Thyroid Desicated</b>        | 15 - 120 mg   | <b>Started:</b><br><b>Stopped:</b> | Allergic reactions severe dizziness, trouble breathing, increased sweating, sensitivity to heat, mental/mood changes nervousness, mood swings, fatigue, diarrhea, shaking , ineffective.  |
| <b>Adderall/Amphetamine, Dextroamphetamine</b> | 5 - 60 mg     | <b>Started:</b><br><b>Stopped:</b> | Nervousness, restlessness, excitability, dizziness, headache, fear, anxiety, agitation, tremor, weakness, blurred vision, sleep problems, dry mouth or bad taste in the mouth, diarrhea, constipation, stomach pain nausea, vomiting, fever, loss of appetite, ineffective. |
| <b>Ritalin/Methylphenidate</b>                 | 5 - 60 mg     | <b>Started:</b><br><b>Stopped:</b> | Nervousness, anxiety, sleep problems, stomach pain, loss of appetite, weight loss, nausea, vomiting, dizziness, palpitations, headache, vision problems, increased heart rate, increased blood pressure, sweating, ineffective.   |
| <b>Provigil/Modafinil</b>                      | 100 - 200 mg  | <b>Started:</b><br><b>Stopped:</b> | Headache, dizziness, nervous or agitated, nausea, diarrhea, trouble sleeping dry mouth.   |



|   |               |                              |  |
|---|---------------|------------------------------|--|
| <b>Strattera/Atomoxetine</b>            | 10 - 100 mg   | <b>Started:<br/>Stopped:</b> | Insomnia, dry mouth, cough, no appetite, upset stomach, nausea, vomiting, dizziness, fatigue, problems urinating, irritability, itching constipation, skin rash, cramps, impotence, ineffective.       |
| <b>Vyvanse/<br/>Lisdexamfetamine</b>    | 10 - 70 mg    | <b>Started:<br/>Stopped:</b> | Anxiety, decreased appetite, decreased weight, diarrhea, dizziness, dry mouth, irritability, insomnia, nausea, abdominal pain, vomiting, rapid heart rate, constipation, jittery feeling, ineffective. |
| <b>Dexedrine/<br/>Dextroamphetamine</b> | 5 - 60 mg     | <b>Started:<br/>Stopped:</b> | Changes in taste, constipation, decreased libido, dry mouth, hives, itching, or skin rash, indigestion, flatulence, weight loss, ineffective.  |
| <b>Nuvigil/Armodafinil</b>              | 150 - 250 mg  | <b>Started:<br/>Stopped:</b> | Headache, dizziness, nervous or agitated, nausea, diarrhea, insomnia, dry mouth, ineffective.  |
| <b>Buspar/Buspirone</b>                 | 15 - 60 mg    | <b>Started:<br/>Stopped:</b> | Dizziness, nausea, headache, nervousness, sore throat, lightheadedness, fatigue, blurred vision, restlessness, dry mouth, upset stomach, tinnitus, insomnia, ineffective.                              |
| <b>Klonopin/Clonazepam</b>              | 0.5 - 4.0 mg  | <b>Started:<br/>Stopped:</b> | Fatigue, dizziness, weakness, depression, headache, sleep disturbances, memory, slurred speech, dry mouth, sore gums, runny nose, loss of appetite, diarrhea, constipation, ineffective.               |
| <b>Deplin/L-Methylfolate</b>            | 7.5 - 30 mg   | <b>Started:<br/>Stopped:</b> | Rash, hives, itching, difficulty breathing, tightness in the chest, swelling of the mouth, face, lips, or tongue, ineffective.   |
| <b>Xanax</b>                            | 0.25 - 4.0 mg | <b>Started:<br/>Stopped:</b> | Fatigue, dizziness, slurred speech, loss of concentration, memory loss, rash, ineffective.   |
| <b>Fetzima</b>                          | 20 - 80 mg    | <b>Started:<br/>Stopped:</b> | Constipation, vomiting, increased sweating, dizziness, nose bleeds, ineffective.   |
| <b>Deplin/L-Methylfolate</b>            | 7.5 - 30 mg   | <b>Started:<br/>Stopped:</b> | Rash, hives, itching, difficulty breathing, tightness in the chest, swelling of the mouth, face, lips, or tongue, ineffective.   |
| <b>Vraylar</b>                          | 1.5 - 3.0 mg  | <b>Started:<br/>Stopped:</b> | Dizziness, lightheadedness, nausea, fatigue, excess saliva/drooling, blurred vision, weight gain, or constipation, ineffective.  |
| <b>Rexulti</b>                          | 0.5 - 2.0 mg  | <b>Started:<br/>Stopped:</b> | Fatigue, dizziness, increased appetite, weight gain, restlessness , ineffective.   |